

10/528171



INVESTOR IN PEOPLE



MAR 2003

The Patent Office  
 Concept House  
 Cardiff Road  
 Newport  
 South Wales  
 NP10 8QQ

REC'D 04 NOV 2003

WIPO

FC

GB/03/4123

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated 23 October 2003

**PRIORITY  
 DOCUMENT**

SUBMITTED OR TRANSMITTED IN  
 COMPLIANCE WITH RULE 17.1(a) OR (b)

THE PATENT OFFICE

17 SEP 2002

Patents Form 1/77  
NEWPORT

17SEP02 E748788-7 D02846

P01/7700 0.00-0231516.8

The Patent Office  
Cardiff Road

Newport

NP9 1RH

17 SEP 2002

NEWPORT

Request for grant of a patent

1. Your Reference

APB/DMH/X604

2. Application number

0221516.8

17 SEP 2002

3. Full name, address and postcode  
of the or each Applicant

Marlow Foods Limited

Station Road

Stokesley

NORTH YORKSHIRE

TS9 7AB

Country/state of incorporation  
(if applicable)

Incorporated in: United Kingdom

7982069001

4. Title of the invention

Composition comprising Proteinaceous Material, its  
Preparation and Use

5. Name of agent

APPLEYARD LEES

Address for service in the UK to  
which all correspondence should  
be sent

15 CLARE ROAD

HALIFAX

HX1 2HY

Patents ADP number

190001 ✓

6. Priority claimed to:

Country

Application number

Date of filing

7. Divisional status claimed from:

Number of parent application

Date of filing

8. Is a statement of inventorship and  
of right to grant a patent required in  
support of this application?

YES

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description 18

Claim(s) 4

Abstract -

Drawing(s) -

10. If you are also filing any of the following, state how many against each item

Priority documents -

Translation of priority documents -

Statement of inventorship and right to grant a patent (PF 7/77) - /

Request for a preliminary examination and search (PF 9/77) 1

Request for substantive examination (PF 10/77) -

Any other documents (please specify) -

11.

We request the grant of a patent on the basis of this application.

Signature

Date

APPLEYARD LEES

16 Sept 2002

*Appleyard Lees*

12. Contact

Anthony P Brierley- 01422 330110

**Composition comprising Proteinaceous Material, its  
Preparation and Use**

This invention relates to a composition comprising a  
5 proteinaceous material, its preparation and use and  
particularly although not exclusively relates to a  
foodstuff comprising a proteinaceous material.

It is known, for example from WO 00/15045 (DSM),  
10 WO96/21362 (Zeneca) and WO95/23843 (Zeneca) to use edible  
filamentous fungi as meat-substitutes, for example in the  
preparation of burgers and sausages. In such uses,  
filaments of the fungi are bound together, for example  
with egg albumin, and are texturised so that the product  
15 resembles muscle fibres and therefore has a meat-like  
appearance and texture. Meat substitutes of the type  
described have been widely commercially available for many  
years under the trade mark QUORN.

20 It is known to incorporate gluten into a range of goods to  
provide a fibrous, meat-like texture. US4238515 (Shemer)  
describes a novel physical form of gluten possessing net-  
like fibrous structure which is produced by agitating  
wheat gluten with a reducing agent such as sodium sulphite  
25 and sodium bisulphite, at a temperature below 70°C.  
EP0296963 (Shemer) discloses the use of ascorbic acid as  
an alternative to sodium sulphite or bisulphite in order  
to soften the sticky mass of gluten. WO99/137335 (Shemer)  
discloses the production of a food product comprising  
30 aligned bundles of formed fibres extending between faces  
of a food product, wherein the fibres are newly formed and  
fixed during preparation. Wheat gluten is disclosed as a  
recommended protein.

A significant problem associated with gluten is its physical form - it tends to form a sticky mass and consequentially it can be difficult to combine the gluten  
5 with other ingredients without modifying the gluten such as in the ways described above.

It is an object of the present invention to address problems associated with proteinaceous materials.

10

According to a first aspect of the present invention, there is provided a composition (preferably for use in the preparation of a foodstuff), said composition comprising fungal (preferably edible fungal) particles of a  
15 filamentous fungus and a proteinaceous material wherein the ratio of the weight on a dry matter basis of said proteinaceous material to the weight on a dry matter basis of said fungal particles in said composition is greater than 1.

20

Said fungal particles preferably comprise a filamentous fungus. Said filamentous fungus preferably comprises fungal mycelia and suitably at least 80wt%, preferably at least 90wt%, more preferably at least 95wt% and,  
25 especially, at least 99wt% of the fungal particles in said composition comprise fungal mycelia. Some filamentous fungi may include both fungal mycelia and fruiting bodies. Said fungal particles preferably comprise a filamentous fungus of a type which does not produce fruiting bodies.  
30 Where, however, a filamentous fungus of a type which produces fruiting bodies is used, the fungal particles in said composition suitably include at least 80wt%, preferably at least 90wt%, more preferably at least 95wt%

of fungal mycelia. Preferably, said fungal particles comprise substantially only fungal mycelia - that is, said fungal particles in said composition preferably do not include any fruiting bodies.

5

Preferred fungi for said fungal particles have a cell wall which includes chitin and/or chitosan. Preferred fungi have a cell wall which includes polymeric glucosamine. Preferred fungi have a cell wall which includes  $\beta$  1-3/1-6  
10 glucans.

Said fungal particles may include fungal cells of the order Mucorales as described in WO 00/15045 (DSM).

15 Said fungal particles preferably comprise fungus selected from fungi imperfecti.

Preferably, said fungal particles comprise, and preferably consist essentially of, cells of *Fusarium* species, especially of *Fusarium venenatum* A3/5 (formerly classified  
20 as *Fusarium graminearum*) (IMI 145425; ATCC PTA-2684 deposited with the American Type Culture Collection, 10801 University Boulevard, Manassas, VA) as described for example in WO96/21361 (Zeneca) and WO95/23843 (Zeneca).

25

Preferably, said fungal particles are non-viable. Preferably, said fungal particles have been treated to lower the level of RNA which they contain. Thus, the level of RNA in the fungal particles used is preferably  
30 less than the level in an identical fungus when in a viable state.

Fungal particles in said composition may comprise filaments having lengths of less than  $1000\mu\text{m}$ , preferably less than  $800\mu\text{m}$ . Said filaments may have a length greater than  $100\mu\text{m}$ , preferably greater than  $200\mu\text{m}$ . Preferably, 5 fewer than 5wt%, preferably substantially no, fungal particles in said composition have lengths of greater than  $5000\mu\text{m}$ ; and preferably fewer than 5 wt%, preferably substantially no, fungal particles have lengths of greater than  $2500\mu\text{m}$ . Preferably, values for the number average of 10 the lengths of said fungal particles in said composition are also as stated above.

Fungal particles in said composition may comprise filaments having diameters of less than  $20\mu\text{m}$ , preferably 15 less than  $10\mu\text{m}$ , more preferably  $5\mu\text{m}$  or less. Said filaments may have diameters greater than  $1\mu\text{m}$ , preferably greater than  $2\mu\text{m}$ . Preferably, values for the number average of said diameters of said fungal particles in said composition are also as stated above.

20 Fungal particles in said composition may comprise filaments having an aspect ratio (length/diameter) of less than 1000, preferably less than 750, more preferably less than 500, especially of 250 or less. The aspect ratio may 25 be greater than 10, preferably greater than 40, more preferably greater than 70. Preferably, values for the average aspect ratio of said fungal particles (i.e. the average of the lengths of the particles divided by the average of the diameters of the fungal particles) in said 30 composition are also as stated above.

In the context of the present specification, a "major amount" when referred to a specified material, suitably

means that at least 60wt%, preferably at least 75wt%, more preferably at least 90wt%, especially at least 95wt% of the specified material is present.

5 Said proteinaceous material may be a protein-containing material which when 25wt% thereof is fully dispersed by mixing with 75wt% of water at 25°C, and then left for 1 hour at the same temperature, the viscosity of the mixture increases, for example by at least 25%, so that the  
10 proteinaceous material develops a texture.

Said proteinaceous material may be a material of natural origin. It may be extracted from a material of natural origin.

15

Said proteinaceous is preferably substantially insoluble in water. Said proteinaceous material is preferably hydrophilic.

20 Said proteinaceous material preferably comprises a major amount of protein.

Said proteinaceous material preferably comprises a protein not of animal origin. Said proteinaceous material  
25 preferably includes no material of animal origin. It preferably comprises a vegetable protein.

Said proteinaceous material may comprise a cereal protein. Preferably, it includes a major amount of a cereal  
30 protein. Preferably, it consists essentially of a cereal protein. A preferred cereal protein is a wheat protein. Said proteinaceous material preferably comprises a major



amount and more preferably consists essentially of a wheat protein.

5 Said proteinaceous material preferably comprises gluten and/or one or more constituents of gluten preferably selected from gliadin and glutenin. More preferably, said proteinaceous material comprises gluten. It preferably includes a major amount of gluten and preferably consists essentially of gluten.

10 Preferably said gluten is a wheat gluten, more preferably vital wheat gluten.

15 Suitably, said ratio of the weight of said proteinaceous material to the weight of said fungal particles is greater than 2, preferably is greater than 4, more preferably is greater than 7 and, especially, is greater than 9. The ratio may be less than 50, preferably less than 30, more preferably less than 20, especially less than 15.

20 Said composition preferably includes water. The ratio of the weight of said proteinaceous material on a dry matter basis to the weight of water is suitably less than 1, preferably less than 0.75, more preferably less than 0.5, 25 especially less than 0.35. Said ratio may be at least 0.05, suitably at least 0.1, preferably at least 0.15, more preferably at least 0.2, especially at least 0.25. It should be appreciated that the reference to the weight of water in said composition refers to the total water 30 content in the composition irrespective of its origin.

From the above, it will be appreciated that a preferred composition may comprise fungal particles of a filamentous

fungus, water and a proteinaceous material which comprises gluten, wherein said ratio of said proteinaceous material to fungal particles is greater than 7 and less than 30; and said ratio of said gluten to the weight of water is less than 0.75 and greater than 0.1.

According to a second aspect of the invention, there is provided a method of making a composition according to the first aspect, the method comprising contacting fungal particles and a proteinaceous material suitably in the presence of a solvent, preferably water. The components of said composition are preferably mixed, suitably to prepare a substantially homogenous composition. Preferably, in the method, 0.5 to 5wt%, (especially 1 to 3wt%) of fungal particles on a dry matter basis are contacted with 10 to 40wt% (especially 15 to 30wt%) of said proteinaceous material on a dry matter basis and with 55 to 89.5wt% (especially 67 to 84wt%) of water. Thus, said composition of said first aspect may comprise fungal particles, proteinaceous material and water in the amounts stated.

The composition described in said first and second aspects may have many applications. Preferred uses involve the preparation of foodstuffs but the composition may have non-food uses. For example, it may be used in lubricants or cosmetics.

According to a third aspect of the present invention, there is provided a foodstuff which comprises a composition as described according to said first aspect or one prepared according to said second aspect.

Said foodstuff may include said composition together with further edible components. Such components may be added to provide texture, flavour or other nutrients. The ratio of the total weight of said further edible components (on an "as used" basis - i.e. including any water which is associated with the components at the point of addition) to the weight of said proteinaceous material (especially gluten) in said foodstuff may be at least 1, preferably at least 1.5, more preferably at least 2. The ratio may be less than 5, preferably less than 4, especially less than 3.

The ratio of the weight of said further edible components to the weight of said edible fungal particles on a dry matter basis is suitably at least 10, preferably at least 15, more preferably at least 20, especially at least 25. The ratio may be less than 60, preferably less than 50, more preferably less than 40. Said further edible components may comprise one or more proteins, which are preferably of non-animal origin. Suitably, one or more of said proteins is a cereal protein. One or more of said proteins may be an ovoprotein, for example egg albumin. Said further edible components may include a source of fat. Said further edible component may include a fibrous material such as rusk.

In one preferred embodiment, said foodstuff may be a meat substitute. Such a foodstuff may include:

- 10 to 20 parts by weight (hereinafter "pbw") of gluten;
- 0.5 to 5 pbw of edible fungal particles on a dry matter basis;
- 5 to 15 pbw of onions

-3 to 9 pbw of fat

-1 to 5 pbw of ovoprotein, especially egg albumin.

The foodstuff may include 5 to 30 pbw of other ingredients  
5 including seasoning.

Said foodstuff may be incorporated into a casing, for  
example a sausage casing or otherwise manipulated into a  
desired form.

10 Preferably, the foodstuff prepared is steam-cooked.  
Advantageously, this may improve the consumer  
acceptability of the product.

15 According to a fourth aspect of the present invention,  
there is provided a method of making a foodstuff according  
to said third aspect, the method comprising contacting a  
composition according to said first aspect or one prepared  
as described according to said second aspect with further  
20 edible components. In preferred embodiments proteinaceous  
and fat components are added prior to the addition of at  
least some seasoning (e.g. salt containing ingredient).  
Preferably, seasoning is added after a major amount  
(preferably substantially all) of the total amount of the  
25 further edible components have been added.

According to a fifth aspect of the invention, there is  
provided the use of filamentous particles for reducing the  
rate of increase of the viscosity of a composition of a  
30 cereal protein, for example gluten, in water.

In the first aspect described herein dimensions of fungal  
particles are described. The filamentous particles of the

fifth aspect may have any of the dimensions described for said fungal particles according to the first aspect, even though the particles of the fifth aspect may not comprise fungal particles.

5

Additionally, the amounts/ratios described for said fungal particles of said first aspects may be applied to the particles of the fifth aspect, even though the particles of the fifth aspect may not comprise fungal particles.

10

Advantageously, the use described according to the fifth aspect may enable a range of other components to be contacted, for example, mixed with said cereal protein more easily and/or over a greater time period compared to a case wherein no filamentous particles are used.

15

Any feature of any aspect of any invention or embodiment described herein may be combined with any feature of any aspect of any other invention or embodiment described herein mutatis mutandis.

20

Specific embodiments of the invention will now be described with reference to the examples.

25 In the examples, the following materials are referred to:

Vital wheat gluten -a powdered ingredient obtained from Cerestar Ltd, U.K.

30 mycoprotein paste - refers to a visco-elastic material comprising a mass of edible filamentous fungus derived from *Fusarium venenatum* A3/5 (formerly classified as *Fusarium graminearum* Schwabe) (IMI 145425; ATCC PTA-2684

deposited with the American type Culture Collection, 12301 Parklawn Drive, Rockville Md 20852) and treated to reduce its RNA content to less than 2% by weight by heat treatment. Further details on the material are provided  
5 in WO96/21362 and WO95/23843. The material may be obtained from Marlow Foods Limited of Stokesley, U.K. It comprises about 25 wt% solids made up of non-viable RNA reduced fungal hyphae of approximately 400-750  $\mu\text{m}$  length, 3-5 $\mu\text{m}$  in diameter and a branching frequency of 2-8 tips  
10 per hyphal length.

Hobart mixer - a beater mixer with a planetary mixing action made by Hobart Corporation of Troy Ohio, U.S.A.

15 Stable Microsystems Texture Analyser - an apparatus for measuring texture supplied by Stable Microsystems of Surrey, England.

Kieffer Dough and Gluten Extensibility Rig - attachments  
20 for use with the aforementioned texture analyser.

Flaked Fat - partially hydrogenated vegetable fat obtained from Kelanco UK of Merseyside, UK.

25 Albumen - hen egg albumin obtained from G. Fiske & Co Ltd of Middlesex, England.

Rusk - a sage and onion mix obtained from RHM Ingredients of Ossett, England.

30 Examples 1 and 2 hereinafter describe investigations of the properties of mixtures comprising edible filamentous fungus and gluten.

Example 1a (Comparative) and Examples 1b to Example 1h

Gluten doughs were prepared by mixing vital wheat gluten and different levels of mycoprotein together with salt and water. The preparation involved mixing the gluten with the other ingredients using a Hobart mixer at a fixed setting for 2 minutes. When mycoprotein paste was added to the mixture, the ratio of gluten to paste was adjusted such that a 1wt% increase in the level of mycoprotein paste gave a 0.25 wt% decrease in the level of gluten with an associated balance of water. Table 1 details the levels of components used in Example 1a to 1h. "Salt" refers to sodium chloride. The reference to the wt% of fungus is calculated on the basis that the mycoprotein paste comprises approximately 25wt% of fungal hyphae on a dry matter basis.

Table 1

Example No:	wt% mycoprotein paste	wt% of fungus on dry matter basis	%wt gluten	%wt water	%wt salt	%wt Total
1a	0	0	23.9	74.4	1.7	100
1b	0.5	0.125	23.78	74.02	1.7	100
1c	1	0.25	23.65	73.65	1.7	100
1d	2	0.5	23.4	72.9	1.7	100
1e	4	1	22.9	71.4	1.7	100
1f	5	1.25	22.7	70.6	1.7	100
1g	6	1.5	22.4	67.2	1.7	100
1h	8	2	21.9	68.4	1.7	100

After mixing, the dough was allowed to develop at ambient temperature until it was judged to have developed sufficient body so as to be amenable to preparation of a

test piece with a Kieffer Dough and Gluten Extensibility Rig. Results are provided in Table 2 from which it will surprisingly be noted that the addition of mycoprotein to gluten increases the amount of time required for the  
 5 gluten to develop defined texture, with the suggestion of an asymptote after 6wt% mycoprotein paste addition.

Table 2

Example No	wt% mycoprotein paste	Time (mins) to develop texture
1a	0	38
1b	0.5	68
1c	1	90
1d	2	152
1e	4	258
1f	5	283
1g	6	371
1h	8	360

10

Examples 2a to 2h

Test pieces were prepared using the compositions described in Table 1 for assessment within the Kieffer Dough and  
 15 Gluten Extensibility Rig in conjunction with the Stable Microsystems Texture Analyser

The assessment of the doughs involves tensile testing to measure the doughs' resistance to extension, toughness and  
 20 extensibility. Results are provided in Table 3. The mechanical properties referenced in Table 3 were assessed at the time referred to for the samples in Table 2 for the



formulations described in Table 1. In each case, values stated are the average of 5 identical samples.

Table 3

Example No	Test mixture used	Average toughness (g/s)	Average resistance to Extension (g)	Average extensibility (mm)
2a	1a	2807 (after 131 mins)	132	-30
2b	1b	1891	110	-29
2c	1c	1501	65	-27
2d	1d	1431	63	-31
2e	1e	1199	63	-24
2f	1f	1383	66	-34
2g	1g	1320	64	-30
2h	1h	389	29	-17

5

It should be appreciated from Table 3 that, even at low levels of mycoprotein paste, there is an appreciable reduction in, for example, the toughness and resistance to extension of the doughs. It appears that the added fungus is able to interfere with the mechanism by which gluten texture develops. This in fact is also apparent simply by observing and handling the gluten doughs described in Table 1. and comparing doughs with and without added fungus.

15

As a consequence of the observation of the effect of fungus on gluten, it has been found to be possible to blend into a mixture of fungus/gluten (representing a continuous phase), other ingredients including dry powders (as a dispersed phase). This would otherwise be extremely difficult if gluten texture developed very rapidly as it normally does.

20

Example 3 to 5 describe the preparation and evaluation of sausages comprising mixtures of fungus and gluten as described above.

5

Example 3 - Bench scale development of sausage

A meat-free sausage was prepared using the ingredients referred to in Table 4.

10

Table 4

Ingredient	Wt%
Water	45.3
Vital Wheat gluten	14.39
Onion (frozen)	10.26
Textured wheat protein	9.06
Flaked Fat	6.04
Seasoning	4.83
Mycoprotein Paste	4.83
Albumen	3.38
Rusk	1.81

In the preparation, the mycoprotein paste was mixed with water using a Hobart mixer for 2 minutes and the vital wheat gluten was then added with further mixing for one minute at which point the other ingredients were added with additional mixing for two minutes. The resultant mix was then manually filled into a sausage filler and the contents extruded into cellulose skins, filled to approximately 12mm diameter. The filled skins were sealed at each end and then steamed in a steam oven (ambient

15

20

97°C) for 20 minutes or until the centre temperature reached 90°C for 5 minutes. Some of the steamed and filled casings were then blast frozen to a core temperature of -18°C. Products were evaluated by grilling  
5 to a centre temperature of 72°C.

The sausages prepared as described were found to have relatively high protein level which may be advantageous in certain situations. Additionally, advantageously, the  
10 cost of the sausages may be relatively low since relatively more of a relatively cheap ingredient (gluten) may be used compared to a relatively expensive ingredient (mycoprotein).

#### 15 Example 4 - Scale-up of sausage manufacture

The ingredients referred to in Table 4 were used to prepare sausages on a greater scale.

20 In the manufacture, mycoprotein paste was mixed with water and onion for 3 minutes using a Wolfking 1000 litre paddle mixer. Gluten and other dry ingredients were then added and mixed for a further 3 minutes. Flaked fat and seasoning were then added with further mixing for 2  
25 minutes. The mix was then filled into cellulose skins using a Handtmann Filler. The product was then steamed to a core temperature of 90°C after which the product was cooled by water drenching. Skins were removed and the product frozen to a core temperature of -18°C.

30

#### Example 5 - Sensory Evaluation of Sausages

Sausages prepared as described in Example 4 were independently assessed by a panel of individuals and compared to commercially available meat-free sausages prepared as described in WO95/23843 (Zeneca) and sold  
5 under the trade mark QUORN and also meat-free sausages sold under the trade mark LINDA MCCARTNEY. In summary, overall the panel found (on blind tastings) that sausages prepared as described herein were preferred over both of the commercially available sausages.

10

The reader's attention is directed to all papers and documents which are filed concurrently with or previous to this specification in connection with this application and which are open to public inspection with this  
15 specification, and the contents of all such papers and documents are incorporated herein by reference.

All of the features disclosed in this specification (including any accompanying claims, abstract and  
20 drawings), and/or all of the steps of any method or process so disclosed, may be combined in any combination, except combinations where at least some of such features and/or steps are mutually exclusive.

25 Each feature disclosed in this specification (including any accompanying claims, abstract and drawings), may be replaced by alternative features serving the same, equivalent or similar purpose, unless expressly stated otherwise. Thus, unless expressly stated otherwise, each  
30 feature disclosed is one example only of a generic series of equivalent or similar features.

The invention is not restricted to the details of the foregoing embodiment(s). The invention extends to any novel one, or any novel combination, of the features disclosed in this specification (including any  
5 accompanying claims, abstract and drawings), or to any novel one, or any novel combination, of the steps of any method or process so disclosed.

**Claims**

1. A composition comprising fungal particles of a filamentous fungus and a proteinaceous material wherein  
5 the ratio of the weight on a dry matter basis of said proteinaceous material to the weight on a dry matter basis of said fungal particles in said composition is greater than 1.
- 10 2. A composition according to claim 1, wherein the fungal particles in said composition include at least 80wt% of fungal mycelia.
- 15 3. A composition according to claim 1 or claim 2, wherein fungal particles in said composition comprise filaments having a length of greater than 100 $\mu$ m and less than 1000 $\mu$ m.
- 20 4. A composition according to any preceding claim, wherein fungal particles in said composition comprise filaments having an aspect ratio of greater than 100 $\mu$ m and less than 1000 $\mu$ m.
- 25 5. A composition according to any preceding claim, wherein said proteinaceous material is a protein-containing material which when 25wt% thereof is fully dispersed by mixing with 75wt% of water at 25°C, and then left for 1 hour at the same temperature, the viscosity of the mixture increases so that the proteinaceous material  
30 develops a texture.
6. A composition according to any preceding claims, wherein said proteinaceous material is a material of

natural origin or is extracted from a material of natural origin.

7. A composition according to any preceding claim,  
5 wherein said proteinaceous material is substantially insoluble in water at 25°C.

8. A composition according to any preceding claim,  
wherein said proteinaceous material comprises a cereal  
10 protein.

9. A composition according to claim 8, wherein said cereal protein is a wheat protein.

15 10. A composition according to any preceding claim, wherein said proteinaceous material comprises gluten and/or one or more constituents of gluten.

11. A composition according to any preceding claim,  
20 wherein said proteinaceous material consists essentially of gluten.

12. A composition according to any preceding claim, wherein said ratio of the weight of said proteinaceous  
25 material to the weight of said fungal particles is greater than 2 and less than 50.

13. A composition according to any preceding claim, wherein the ratio of the weight of said proteinaceous  
30 material to the weight of said fungal particles is greater than 7 and less than 50.

14. A composition according to any preceding claim, wherein the ratio of the weight of said proteinaceous material on a dry matter basis to the weight of water in said composition is at least 0.05 and is less than 1.

5

15. A composition according to any preceding claim which comprises fungal particles of a filamentous fungus, water and a proteinaceous material which comprises gluten, wherein the ratio of said proteinaceous material to fungal particles is greater than 7 and less than 30 and the ratio of gluten to the weight of water in said composition is less than 0.75 and greater than 0.1.

16. A method of making a composition according to any of claims 1 to 15, the method comprising contacting fungal particles and a proteinaceous material in the presence of water.

17. A method according to claim 16 wherein, in the method, 0.5 to 5wt% of fungal particles on a dry matter basis are contacted with 10 to 40wt% of said proteinaceous material on a dry matter basis and with 55 to 89.5wt% of water.

18. A foodstuff which comprises a composition according to any claims 1 to 15 or when prepared as described in claim 16 or claim 17.

19. A foodstuff according to claim 18, which includes:

30

10 to 20 parts by weights of gluten;



0.5 to 5 parts by weight of edible fungal particles on a dry matter basis;

5 to 15 parts by weight of onions;

5

3 to 9 parts by weight of fat; and

1 to 5 parts by weight of an ovoprotein.

10 20. A foodstuff according to claim 18 or claim 19, which is steam cooked.

21. A method of making a foodstuff according to any of claims 18 to 20, the method comprising contacting a  
15 composition according to any of claims 1 to 15 or one prepared as described in claim 16 or claim 17 with further edible components.

22. The use of filamentous particles for reducing the  
20 rate of increase of the viscosity of a composition of a cereal protein in water.

23. A composition, a method, a foodstuff and a use, each being independently as hereinbefore described with  
25 reference to the examples.

THE PATENT OFFICE  
23 Oct 2003  
Received in Patents  
International Unit

THE PATENT OFFICE  
23 OCT 2003  
Received in Patents  
International Unit

PCT Application  
**GB0304123**

